



medical
blache[®]

LIPO-SUKTION



Lipo Handstücke



Schnellverschluss



Schnellverschluss und Schiebeventil
36-40-000



Schnellverschluss und Finger Stop
36-40-001



Schnellverschluss ohne Finger Stop
36-40-002



Luer-Lock



Schiebeventil und Luer-Lock
36-41-000



Luer-Lock und Finger Stop
36-41-001



Luer-Lock ohne Finger Stop
36-41-002



Schnellverschluss

Luer-Lock

Lipo Kanülen



Für Schnellverschluss



Für Luer-Lock

TRIPORT

Artikel-Nr.	Arbeitslänge	Ø
36-42-000	150mm	2mm
36-42-002	150mm	3mm
36-42-004	200mm	3mm
36-42-006	250mm	3mm
36-42-008	300mm	3mm
36-42-010	200mm	4mm
36-42-012	250mm	4mm
36-42-014	300mm	4mm
36-42-016	250mm	5mm
36-42-018	300mm	5mm
36-42-020	200mm	5mm
36-42-022	200mm	6mm
36-42-024	250mm	6mm
36-42-026	300mm	6mm

Artikel-Nr.	Arbeitslänge	Ø
36-42-001	150mm	2mm
36-42-003	150mm	3mm
36-42-005	200mm	3mm
36-42-007	250mm	3mm
36-42-009	300mm	3mm
36-42-011	200mm	4mm
36-42-013	250mm	4mm
36-42-015	300mm	4mm
36-42-017	250mm	5mm
36-42-019	300mm	5mm
36-42-021	200mm	5mm
36-42-023	200mm	6mm
36-42-025	250mm	6mm
36-42-027	300mm	6mm



Für Schnellverschluss



Für Luer-Lock

MONOPORT

Artikel-Nr.	Arbeitslänge	Ø
36-43-000	150mm	2mm
36-43-002	150mm	3mm
36-43-004	200mm	3mm
36-43-006	250mm	3mm
36-43-008	300mm	3mm
36-43-010	200mm	4mm
36-43-012	250mm	4mm
36-43-014	300mm	4mm
36-43-016	250mm	5mm
36-43-018	300mm	5mm

Artikel-Nr.	Arbeitslänge	Ø
36-43-001	150mm	2mm
36-43-003	150mm	3mm
36-43-005	200mm	3mm
36-43-007	250mm	3mm
36-43-009	300mm	3mm
36-43-011	200mm	4mm
36-43-013	250mm	4mm
36-43-015	300mm	4mm
36-43-017	250mm	5mm
36-43-019	300mm	5mm

Lipo Kanülen



Für Schnellverschluss



Für Luer-Lock

MERCEDES

Artikel-Nr.	Arbeitslänge	Ø
36-44-000	150mm	2mm
36-44-002	200mm	3mm
36-44-004	250mm	3mm
36-44-006	200mm	4mm
36-44-008	250mm	4mm
36-44-010	300mm	4mm
36-44-012	250mm	5mm
36-44-014	300mm	5mm

Artikel-Nr.	Arbeitslänge	Ø
36-44-001	150mm	2mm
36-44-003	200mm	3mm
36-44-005	250mm	3mm
36-44-007	200mm	4mm
36-44-009	250mm	4mm
36-44-011	300mm	4mm
36-44-013	250mm	5mm
36-44-015	300mm	5mm



Für Schnellverschluss



Für Luer-Lock

COBRA

Artikel-Nr.	Arbeitslänge	Ø
36-45-000	150mm	2mm
36-45-002	150mm	3mm
36-45-004	200mm	3mm
36-45-006	250mm	3mm
36-45-008	200mm	4mm
36-45-010	250mm	4mm
36-45-012	300mm	4mm
36-45-014	250mm	5mm
36-45-016	300mm	5mm

Artikel-Nr.	Arbeitslänge	Ø
36-45-001	150mm	2mm
36-45-003	150mm	3mm
36-45-005	200mm	3mm
36-45-007	250mm	3mm
36-45-009	200mm	4mm
36-45-011	250mm	4mm
36-45-013	300mm	4mm
36-45-015	250mm	5mm
36-45-017	300mm	5mm

Lipo Kanülen



Für Schnellverschluss



Für Luer-Lock

SPIRALE



Artikel-Nr.	Arbeitslänge	Ø
36-46-000	150mm	2mm
36-46-002	150mm	3mm
36-46-004	200mm	3mm
36-46-006	250mm	3mm
36-46-008	200mm	4mm
36-46-010	250mm	4mm
36-46-012	300mm	4mm
36-46-014	250mm	5mm
36-45-016	300mm	5mm

Artikel-Nr.	Arbeitslänge	Ø
36-46-001	150mm	2mm
36-46-003	150mm	3mm
36-46-005	200mm	3mm
36-46-007	250mm	3mm
36-46-009	200mm	4mm
36-46-011	250mm	4mm
36-46-013	300mm	4mm
36-46-015	250mm	5mm
36-46-017	300mm	5mm



Für Schnellverschluss



Für Luer-Lock

SHARK



Artikel-Nr.	Arbeitslänge	Ø
36-47-000	150mm	2mm
36-47-002	150mm	3mm
36-47-004	200mm	3mm
36-47-006	250mm	3mm
36-47-008	200mm	4mm
36-47-010	250mm	4mm
36-47-012	300mm	4mm
36-47-014	250mm	5mm
36-47-016	300mm	5mm

Artikel-Nr.	Arbeitslänge	Ø
36-47-001	150mm	2mm
36-47-003	150mm	3mm
36-47-005	200mm	3mm
36-47-007	250mm	3mm
36-47-009	200mm	4mm
36-47-011	250mm	4mm
36-47-013	300mm	4mm
36-47-015	250mm	5mm
36-47-017	300mm	5mm



FESTER GRIFF, KOMPLETTES INSTRUMENT



TRIPORT

Artikel-Nr.	Arbeitslänge	Ø
36-42-100	150mm	2mm
36-42-101	200mm	2mm
36-42-102	250mm	2mm
36-42-103	300mm	2mm
36-42-104	150mm	3mm
36-42-105	200mm	3mm
36-42-106	250mm	3mm
36-42-107	300mm	3mm
36-42-108	150mm	4mm
36-42-109	200mm	4mm
36-42-110	250mm	4mm
36-42-111	300mm	4mm
36-42-112	150mm	5mm
36-42-113	200mm	5mm
36-42-114	250mm	5mm
36-42-115	300mm	5mm
36-42-116	150mm	6mm
36-42-117	200mm	6mm
36-42-118	250mm	6mm
36-42-119	300mm	6mm



MONOPORT

Artikel-Nr.	Arbeitslänge	Ø
36-43-100	150mm	2mm
36-43-101	200mm	2mm
36-43-102	250mm	2mm
36-43-103	300mm	2mm
36-43-104	150mm	3mm
36-43-105	200mm	3mm
36-43-106	250mm	3mm
36-43-107	300mm	3mm
36-43-108	150mm	4mm
36-43-109	200mm	4mm
36-43-110	250mm	4mm
36-43-111	300mm	4mm
36-43-112	150mm	5mm
36-43-113	200mm	5mm
36-43-114	250mm	5mm
36-43-115	300mm	5mm
36-43-116	150mm	6mm
36-43-117	200mm	6mm
36-43-118	250mm	6mm
36-43-119	300mm	6mm



FESTER GRIFF, KOMPLETTES INSTRUMENT



MERCEDES

Artikel-Nr.	Arbeitslänge	Ø
36-44-100	150mm	2mm
36-44-101	200mm	2mm
36-44-102	250mm	2mm
36-44-103	300mm	2mm
36-44-104	150mm	3mm
36-44-105	200mm	3mm
36-44-106	250mm	3mm
36-44-107	300mm	3mm
36-44-108	150mm	4mm
36-44-109	200mm	4mm
36-44-110	250mm	4mm
36-44-111	300mm	4mm
36-44-112	150mm	5mm
36-44-113	200mm	5mm
36-44-114	250mm	5mm
36-44-115	300mm	5mm
36-44-116	150mm	6mm
36-44-117	200mm	6mm
36-44-118	250mm	6mm
36-44-119	300mm	6mm



COBRA

Artikel-Nr.	Arbeitslänge	Ø
36-45-100	150mm	2mm
36-45-101	200mm	2mm
36-45-102	250mm	2mm
36-45-103	300mm	2mm
36-45-104	150mm	3mm
36-45-105	200mm	3mm
36-45-106	250mm	3mm
36-45-107	300mm	3mm
36-45-108	150mm	4mm
36-45-109	200mm	4mm
36-45-110	250mm	4mm
36-45-111	300mm	4mm
36-45-112	150mm	5mm
36-45-113	200mm	5mm
36-45-114	250mm	5mm
36-45-115	300mm	5mm
36-45-116	150mm	6mm
36-45-117	200mm	6mm
36-45-118	250mm	6mm
36-45-119	300mm	6mm



FESTER GRIFF, KOMPLETTES INSTRUMENT



SPIRALE

Artikel-Nr.	Arbeitslänge	Ø
36-46-100	150mm	2mm
36-46-101	200mm	2mm
36-46-102	250mm	2mm
36-46-103	300mm	2mm
36-46-104	150mm	3mm
36-46-105	200mm	3mm
36-46-106	250mm	3mm
36-46-107	300mm	3mm
36-46-108	150mm	4mm
36-46-109	200mm	4mm
36-46-110	250mm	4mm
36-46-111	300mm	4mm
36-46-112	150mm	5mm
36-46-113	200mm	5mm
36-46-114	250mm	5mm
36-46-115	300mm	5mm
36-46-116	150mm	6mm
36-46-117	200mm	6mm
36-46-118	250mm	6mm
36-46-119	300mm	6mm



SHARK

Artikel-Nr.	Arbeitslänge	Ø
36-47-100	150mm	2mm
36-47-101	200mm	2mm
36-47-102	250mm	2mm
36-47-103	300mm	2mm
36-47-104	150mm	3mm
36-47-105	200mm	3mm
36-47-106	250mm	3mm
36-47-107	300mm	3mm
36-47-108	150mm	4mm
36-47-109	200mm	4mm
36-47-110	250mm	4mm
36-47-111	300mm	4mm
36-47-112	150mm	5mm
36-47-113	200mm	5mm
36-47-114	250mm	5mm
36-47-115	300mm	5mm
36-47-116	150mm	6mm
36-47-117	200mm	6mm
36-47-118	250mm	6mm
36-47-119	300mm	6mm



FESTER GRIFF, KOMPLETTES INSTRUMENT, BAYONETT



TRIPORT

Artikel-Nr.	Arbeitslänge	Ø
36-42-120	150mm	2mm
36-42-121	200mm	2mm
36-42-122	250mm	2mm
36-42-123	300mm	2mm
36-42-124	150mm	3mm
36-42-125	200mm	3mm
36-42-126	250mm	3mm
36-42-127	300mm	3mm
36-42-128	150mm	4mm
36-42-129	200mm	4mm
36-42-130	250mm	4mm
36-42-131	300mm	4mm
36-42-132	150mm	5mm
36-42-133	200mm	5mm
36-42-134	250mm	5mm
36-42-135	300mm	5mm
36-42-136	150mm	6mm
36-42-137	200mm	6mm
36-42-138	250mm	6mm
36-42-139	300mm	6mm



MONOPORT

Artikel-Nr.	Arbeitslänge	Ø
36-43-120	150mm	2mm
36-43-121	200mm	2mm
36-43-122	250mm	2mm
36-43-123	300mm	2mm
36-43-124	150mm	3mm
36-43-125	200mm	3mm
36-43-126	250mm	3mm
36-43-127	300mm	3mm
36-43-128	150mm	4mm
36-43-129	200mm	4mm
36-43-130	250mm	4mm
36-43-131	300mm	4mm
36-43-132	150mm	5mm
36-43-133	200mm	5mm
36-43-134	250mm	5mm
36-43-135	300mm	5mm
36-43-136	150mm	6mm
36-43-137	200mm	6mm
36-43-138	250mm	6mm
36-43-139	300mm	6mm



FESTER GRIFF, KOMPLETTES INSTRUMENT, BAYONETT



MERCEDES

Artikel-Nr.	Arbeitslänge	Ø
36-44-120	150mm	2mm
36-44-121	200mm	2mm
36-44-122	250mm	2mm
36-44-123	300mm	2mm
36-44-124	150mm	3mm
36-44-125	200mm	3mm
36-44-126	250mm	3mm
36-44-127	300mm	3mm
36-44-128	150mm	4mm
36-44-129	200mm	4mm
36-44-130	250mm	4mm
36-44-131	300mm	4mm
36-44-132	150mm	5mm
36-44-133	200mm	5mm
36-44-134	250mm	5mm
36-44-135	300mm	5mm
36-44-136	150mm	6mm
36-44-137	200mm	6mm
36-44-138	250mm	6mm
36-44-139	300mm	6mm



COBRA

Artikel-Nr.	Arbeitslänge	Ø
36-45-120	150mm	2mm
36-45-121	200mm	2mm
36-45-122	250mm	2mm
36-45-123	300mm	2mm
36-45-124	150mm	3mm
36-45-125	200mm	3mm
36-45-126	250mm	3mm
36-45-127	300mm	3mm
36-45-128	150mm	4mm
36-45-129	200mm	4mm
36-45-130	250mm	4mm
36-45-131	300mm	4mm
36-45-132	150mm	5mm
36-45-133	200mm	5mm
36-45-134	250mm	5mm
36-45-135	300mm	5mm
36-45-136	150mm	6mm
36-45-137	200mm	6mm
36-45-138	250mm	6mm
36-45-139	300mm	6mm



FESTER GRIFF, KOMPLETTES INSTRUMENT, BAYONETT



SPIRALE

36-46-120	150mm	2mm
36-46-121	200mm	2mm
36-46-122	250mm	2mm
36-46-123	300mm	2mm
36-46-124	150mm	3mm
36-46-125	200mm	3mm
36-46-126	250mm	3mm
36-46-127	300mm	3mm
36-46-128	150mm	4mm
36-46-129	200mm	4mm
36-46-130	250mm	4mm
36-46-131	300mm	4mm
36-46-132	150mm	5mm
36-46-133	200mm	5mm
36-46-134	250mm	5mm
36-46-135	300mm	5mm
36-46-136	150mm	6mm
36-46-137	200mm	6mm
36-46-138	250mm	6mm
36-46-139	300mm	6mm



SHARK

Artikel-Nr.	Arbeitslänge	Ø
36-47-020	150mm	2mm
36-47-021	200mm	2mm
36-47-022	250mm	2mm
36-47-023	300mm	2mm
36-47-024	150mm	3mm
36-47-025	200mm	3mm
36-47-026	250mm	3mm
36-47-027	300mm	3mm
36-47-028	150mm	4mm
36-47-029	200mm	4mm
36-47-030	250mm	4mm
36-47-031	300mm	4mm
36-47-032	150mm	5mm
36-47-033	200mm	5mm
36-47-034	250mm	5mm
36-47-035	300mm	5mm
36-47-036	150mm	6mm
36-47-037	200mm	6mm
36-47-038	250mm	6mm
36-47-039	300mm	6mm



INFILTRATIONSKANÜLE



Luer - Lock

1 LOCH



Artikel-Nr.	Arbeitslänge	Ø
36-48-001	150mm	2mm
36-48-002	200mm	2mm
36-48-003	250mm	2mm
36-48-004	300mm	2mm
36-48-005	150mm	3mm
36-48-006	200mm	3mm
36-48-007	250mm	3mm
36-48-009	300mm	3mm



Luer - Lock

22 LÖCHER



Artikel-Nr.	Arbeitslänge	Ø
36-48-009	150mm	2mm
36-48-010	200mm	2mm
36-48-011	250mm	2mm
36-48-012	300mm	2mm
36-48-013	150mm	3mm
36-48-014	200mm	3mm
36-48-015	250mm	3mm
36-48-016	300mm	3mm

Notizen

A large area for taking notes, consisting of horizontal grey lines. On the left side, there are two large, overlapping, curved decorative shapes: a light blue one on top and a light orange one on the bottom, both tapering towards the right.

Notizen



A series of horizontal lines for taking notes, with decorative curved shapes in light blue and light orange on the left side.



blache medical GmbH & Co. KG
Rottweiler Str.53 · 78669 Wellendingen
Tel. 07426 6048990 · Fax 07426 6048999
info@blache-medical.de · www.blache-medical.de